

Individual Laboratory Report - Lab 1948

SCA | 2025

SUMMARY OF YOUR PERFORMANCE IN THIS EQA

Assessment Category	Performance (mean score) ¹
Genotyping	2.00
Interpretation	Not marked
Patient Identifiers and Clerical Accuracy	2.00
EQA Result (PASS or POOR)	PASS

CASE SPECIFIC FEEDBACK

Case 1

Assessment Category	Score ²	Comments (& deductions) ³
Genotyping	2.00	Correct result reported (0.0)
Interpretation	--	Not marked
Patient Identifiers and Clerical Accuracy	2.00	All essential patient identifiers present and no significant clerical errors (0.0) Failure to anonymise report (0.0)

Case 2

Assessment Category	Score ²	Comments (& deductions) ³
Genotyping	2.00	Correct result reported (0.0)
Interpretation	--	Not marked
Patient Identifiers and Clerical Accuracy	2.00	All essential patient identifiers present and no significant clerical errors (0.0) Failure to anonymise report (0.0)

Key: ¹ **Green** (Pass), **Red** (Poor performance), NRS (no results submitted), WDS (withdrew from scheme)

² Maximum score is 2.00

³ Deductions from the maximum score

EMQN CIC is an incorporated Community Interest Company registered in England and Wales (registration no: 12020789), which provides external quality assessment schemes for genomic diagnostic testing laboratories. EMQN is a UKAS accredited proficiency testing provider, No. 4367 and our registered address is Third Floor, ICE Building, 3 Exchange Quay, Salford, M5 3ED, United Kingdom.

Email: office@emqn.org Web: <https://www.emqn.org/>

1948



4367


Case 3

Assessment Category	Score ²	Comments (& deductions) ³
Genotyping	2.00	Correct result reported (0.0)
Interpretation	--	Not marked
Patient Identifiers and Clerical Accuracy	2.00	All essential patient identifiers present and no significant clerical errors (0.0) Failure to anonymise report (0.0)

This Individual Laboratory Report should be read in conjunction with scheme summary report.

Thank you for participating in this year's EQA, we look forward to you participating again next year.

Report approved and authorised by Simon Patton (29 August 2025) on behalf of EMQN.



Dr. Simon Patton (CEO)

Key: ¹ **Green** (Pass), **Red** (Poor performance), NRS (no results submitted), WDS (withdrew from scheme)

² Maximum score is 2.00

³ Deductions from the maximum score

EMQN CIC is an incorporated Community Interest Company registered in England and Wales (registration no: 12020789), which provides external quality assessment schemes for genomic diagnostic testing laboratories. EMQN is a UKAS accredited proficiency testing provider, No. 4367 and our registered address is Third Floor, ICE Building, 3 Exchange Quay, Salford, M5 3ED, United Kingdom.

Email: office@emqn.org Web: <https://www.emqn.org/>

1948



4367